


## 400 GALLONS

All Turbo-mist sprayers are about choices:


- ✓ Pumps: Diaphragm or Centrifugal
- ✓ Hitches: Standard or Turbosteer
- ✓ Air: Fan sizes 24 or 30 in the 400 gallon models
- ✓ Frame size: 5 x 2 tube or heavy duty 8 ½ x 2 tube
- ✓ See next page the 350 series units available, please refer to the website for 250 series 400 gallon unit models. They still have the Turbomist features listed below.

All airblast sprayers are about air, and a Turbo-mist is unique, since 1968 when we first patented our front intake turbine fan, we have been allowing our customers to control the air, and therefore control where they put the chemical “*that’s what it really is all about*” putting the air with your chemicals where you need it the most and your new Turbo-mist is designed to do that in a far superior way, talk to anyone that runs a Turbo and they will tell you, we have the best air delivery system in the business, bar none. We challenge you to talk to Turbo-mist owners, ask them why they use a Turbo-mist and you will hear about our air.



ASK QUESTIONS, ABOUT OUR WARRANTY, ABOUT OUR **OFFSET DRIVE REDUCTION SYSTEM** designed to save your pump, about our three way valve system designed to prevent pressure spikes in the system and protect the pump and even our Turbosteer system of gear boxes designed to ensure the best turning hitch available. Check out our website at <http://www.turbomist.com> if you still have questions, call us at the factory, we design everything for a purpose, let us explain why and you will then understand that our quality is worth owning.

**Our differences show!**



Ask for a demo!

## SLIMLINE MANUFACTURING LTD Turbo-mist air blast Sprayers

<b>S30P 400 GALLON MODEL SPECIFICATIONS</b>				
	S30P400NS	S30P400NSC	S30P400NSTS	S30P400NSTSC
<b>Frame:</b> 8 x 2 inch Tubing with hand crank jack	S	S	S	S
<b>Tank:</b> Polished type 304 stainless steel w/ mechanical agitation.	400USG	400USG	400USG	400USG
<b>Turbine:</b> Turbo-mist Patented axial flow turbine	30"	30"	30"	30"
<b>Drive:</b> 2 speed Bima M55 gearbox with neutral & Slip clutch	S	S	S	S
<b>Pump:</b> Udor RO 160 diaphragm Max 284 Psi 43 Gpm volume	S	n/a	S	n/a
Myers I2C1/2C95 Centrifugal Max 150 Psi 60 Gpm volume	n/a	S	n/a	S
Comet IDS 1400 diaphragm Max 700 Psi 35 Gpm volume	Opt 305	n/a	Opt305	n/a
<b>Controls:</b> Teejet electric stainless steel ball valves	S	S	S	S
With electric pressure adjust at the tractor seat	S	S	S	S
<b>FRAME ON 250 SERIES IS 5" x 2"</b>				
<b>Booms:</b> Number of Stainless steel nozzles Dilute/Concentrate	13	13	13	13
Electric Split Dilute concentrate - 6 noz top 7 noz bottom	Opt136	Opt127	Opt136	Opt127
<b>Hitch:</b> Adjustable length clevis hitch	S	S	n/a	n/a
Hammerblow 2 5/16 inch ball type receiver	Opt220	Opt220	n/a	n/a
<b>TURBO STEER - 90 DEGREE 3 POINT TURNING HITCH</b>	n/a	n/a	S	S
<b>Size:</b> Overall width outside of std tire to outside of tire <b>(Width)</b>	61"	61"	61"	61"
Overall height <b>(Height)</b>	52"	52"	52"	52"
Overall length including hitch <b>(Length)</b>	166"	166"	166"	166"
<b>Tires:</b> 9.5L x 15SL	S	S	S	S
11L x 15SL	Opt185	Opt185	Opt185	Opt185
12.5L x 15SL	Opt190	Opt190	Opt190	Opt190
<b>MISCELLEANOUS OPTIONS</b>				
Lights on sprayer- available only with electric controls	Opt142	Opt142	Opt142	Opt143
Extra gun tap in addition to the standard gun tap on each unit	Opt 175	Opt 175	Opt 175	Opt 175
Step	Opt225	Opt225	Opt225	Opt225
Set of two final filters (pressure side)	Opt280b	Opt280b	Opt280b	Opt280b
Stainless steel mixing basket - 12 inches deep	Opt177	Opt177	Opt177	Opt177
3 inch Nurse tank nipple (quick fill ready)	Opt340b	Opt340b	Opt340b	Opt340b
Centrifugal organic fully enclosed belt cover	n/a	Opt820	n/a	Opt820
<b>ATTACHMENTS AVAILABLE TO ADD TO THE TURBINE</b>				
30 Inch High Density Tower- Regular/Tall/ Carbon and Stainless	Optional	Optional	Optional	Optional
30 inch Grape Tower & or Shortstack	Optional	Optional	Optional	Optional
30 citrus tower	Optional	Optional	Optional	Optional
30 inch Hydraulically rotating cannon	Optional	Optional	Optional	Optional

### **SLIMLINE MANUFACTURING LTD.**

Tel. (250) 493-6145 Fax. (250) 492-7756  
Penticton, British Columbia, Canada



**Your local dealer is:**

